

CECONET
S W I T Z E R L A N D

IP – Control Keypad



Control Keypad 15 touches



- 15 touches libre de programmation (148x87x30mm)
- Commandes IP (Telnet/WebGUI)
- 2 sorties relais
- Programmable par interface web
- Makros et fonction timer intégrés
- Alimentation par POE ou l'entrée 5V
- Feuille d'étiquettes inclus à la livraison
- Eclairage RGB des touches pour le retour d'état



Programmation des commandes

The screenshot displays the 'Command' configuration page in the CYP software. On the left, a sidebar contains navigation options: Macro Settings, Extension Macro, Command Settings, Schedule, Script, Network Settings, System Settings, and Time Settings. The main area shows a table of commands with columns for 'Command Name', 'Command', 'Edit', and 'Delete'. The table lists commands from 'LED RED 1 100%' to 'LED BLUE 1 100%'. A dialog box titled 'Command 1 Edit' is overlaid on the table, showing the 'Command Label' field with 'LED RED 1 100%' and a 'Command - Warning' field with 'Will be change lx22'. The dialog also has 'Save Change' and 'Cancel' buttons. A red arrow points to the 'Edit' button in the table for the first command. The version 'Version: V0.0' is visible in the bottom right corner of the interface.

Command Name	Command	Edit	Delete
LED RED 1 100%	LEDRED 1 100w0d\lx0a	Edit	Remove
LED RED 2 100%	LEDRED 2 100w0d\lx0a	Edit	Remove
LED RED 3 100%	LEDRED 3 100w0d\lx0a	Edit	Remove
LED RED 4 100%	LEDRED 4 100w0d\lx0a	Edit	Remove
LED RED 5 100%	LEDRED 5 100w0d\lx0a	Edit	Remove
LED RED 6 100%	LEDRED 6 100w0d\lx0a	Edit	Remove
LED RED 7 100%		Edit	Remove
LED RED 8 100%		Edit	Remove
LED RED 9 100%		Edit	Remove
LED RED 10 100%		Edit	Remove
LED RED 11 100%		Edit	Remove
LED RED 12 100%		Edit	Remove
LED RED 13 100%		Edit	Remove
LED RED 14 100%		Edit	Remove
LED RED 15 100%		Edit	Remove
LED BLUE 1 100%		Edit	Remove

Programmation des macros

Macro Settings

- Extension Macro
- Command Settings
- Schedule
- Network Settings
- System Settings
- Time Settings

Macro

Background Light: 100

Demo Mode: OFF

1 LED RED 100%	2 LED BLUE 100%	3 RED LED OFF	4 BLUE LED OFF	5 LED DEMO
6 LED/RLY DEMO	7 KEY 7	8 KEY 8	9 KEY 9	10 KEY 10
11 KEY 11	12 KEY 12	13 KEY 13	14 KEY 14	15 KEY 15

Version: v2.08

Programmation des macros

The screenshot displays the 'Macro Settings' interface. On the left, a sidebar lists settings categories: Macro Settings, Extension Macro, Command Settings, Schedule, Network Settings, System Settings, and Time Settings. The 'Macro' section is active, showing a 'Background Light' slider set to 100 and a 'Demo Mode' toggle set to OFF. A 'Macro 1 Edit' dialog box is open, showing a list of commands for 'Macro 1 - LED RED 100%'. The dialog includes a search bar and a table with columns for Command Name, Interface, Param 1, Param 2, Delay(ms), and control icons. The table lists 15 commands, all using 'SysCMD' as the interface and '500' as the delay. At the bottom of the dialog are 'Add', 'Save Change', and 'Cancel' buttons.

Command Name	Interface	Param 1	Param 2	Delay(ms)			
LED RED 1 100%	SysCMD	-	-	500			
LED RED 2 100%	SysCMD	-	-	500	▲	▼	
LED RED 3 100%	SysCMD	-	-	500	▲	▼	
LED RED 4 100%	SysCMD	-	-	500	▲	▼	
LED RED 5 100%	SysCMD	-	-	500	▲	▼	
LED RED 6 100%	SysCMD	-	-	500	▲	▼	
LED RED 7 100%	SysCMD	-	-	500	▲	▼	
LED RED 9 100%	SysCMD	-	-	500	▲	▼	
LED RED 10 100%	SysCMD	-	-	500	▲	▼	
LED RED 11 100%	SysCMD	-	-	500	▲	▼	
LED RED 12 100%	SysCMD	-	-	500	▲	▼	
LED RED 13 100%	SysCMD	-	-	500	▲	▼	
LED RED 14 100%	SysCMD	-	-	500	▲	▼	
LED RED 15 100%	SysCMD	-	-	500	▲	▼	

Programmation de la fonction timer

- Macro Settings
- Extension Macro
- Command Settings
- Schedule
- Network Settings
- System Settings
- Time Settings

Schedule

Repeat

Active	Weekly	Hour	Minute	Second	Macro	Edit	Delete
V	Fri	14	31	36	LED RED 100%	Edit	Remove
V	Fri	14	31	22	RED LED OFF	Edit	Remove
V	Thu,Fri,Sat	14	27	46	LED RED 100%	Edit	Remove
		00	00	00		Edit	Remove
		00	00	00		Edit	Remove
		00	00	00		Edit	Remove

Once

Active	Month	Date	Hour	Minute	Second	Macro	Edit	Delete
	00	00	00	00	00		Edit	Remove
	00	00	00	00	00		Edit	Remove
	00	00	00	00	00		Edit	Remove
	00	00	00	00	00		Edit	Remove
	00	00	00	00	00		Edit	Remove
	00	00	00	00	00		Edit	Remove

Version v2.08

Keypad 6 touches pour la Suisse

